

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.1
Background Art






FIG.3



• : SERVICE ACCESS POINT

001210 81542260

FIG.4



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66TFO BT5HE200

FIG.5




FIG. 6





FIG. 7A



0010151200

FIG. 7B




FIG. 7C




FIG. 7D





FIG. 7E



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 7F

APPROVED.	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 7G




FIG. 7H




FIG. 7J




FIG.8




FIG.9

LOGICAL CHANNEL TYPE	MESSAGE	DIRECTION	REMARK
FORWARD ACCESS CHANNEL (FACH)	CHANNEL REQUEST ACK	NTWK → MT	FRAME Format A'
	CHANNEL RESPONSE	NTWK → MT	FRAME Format A'B
REVERSE ACCESS CHANNEL (RACH)	CHANNEL REQUEST	MT → NTWK	FRAME Format A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.10

8	7	6	5	4	3	2	1	
X	X	X	X	X	-	-	-	FORWARD ACCESS CHANNEL ASSOCIATED MESSAGE
					0	0	1	-CHANNEL REQUEST ACK
					0	1	0	-CHANNEL RESPONSE
X	X	X	X	X	-	-	-	REVERSE ACCESS CHANNEL ASSOCIATED MESSAGE
					0	0	0	-CHANNEL REQUEST

FIG.11

INFORMATION ELEMENT OF MAC		REMARK
Establishment Cause		3 bits
Random Reference		5 bits
PAGING CH NUM		4 bits
PAGING SLOT NUM		4 bits

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.12

8	7	6	5	4	3	2	1	
0	0	0	X	X	X	X	X	-location updating
0	0	1	X	X	X	X	X	-answer to paging
0	1	0	X	X	X	X	X	-originating call
0	1	1	X	X	X	X	X	-call re-establishment
1	0	0	X	X	X	X	X	-emergency call

FIG.13

8	7	6	5	4	3	2	1	
x	x	x	x	0	0	0	0	-non-slot mode paging
x	x	x	x	0	0	0	1	-paging1
x	x	x	x	0	0	1	0	-paging2
x	x	x	x	0	0	1	1	-paging3
x	x	x	x	0	1	0	0	-paging4
x	x	x	x	0	1	0	1	-paging5
x	x	x	x	0	1	1	0	-paging6
							
x	x	x	x	1	1	1	1	-paging15

66740-675460

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		





FIG. 3

APPROVED.	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.15



604510-675460

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

